

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,252,955 B2
APPLICATION NO. : 10/721434
DATED : August 7, 2007
INVENTOR(S) : Pant et al.

Page 1 of 2

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Title Page, Item (56) Column 2, Line 38 2nd Reference Yuan, M. "monoclonal antibodies." *Chung Hau*" should be changed to --monoclonal antibodies."

Chung Hua--

Figure 1, Y Axis Legend, "Protein (ug/ml)" should be changed to --Protein (μ g/ml)--

Column 4, Line 25, "with 0.25% formalin." should be changed to --with 0.25% formalin--

Column 6, Line 37, "and calorimetric methods" should be changed to --and colorimetric methods--

Column 6, Line 41, "quantifiable calorimetric" should be changed to --quantifiable colorimetric--

Column 6, Line 46, "cancer in μ gm/ml" should be changed to --cancer in μ g/ml--

Column 7, Lines 8-9, "their colonoscopy. Extraction of glycoproteins from fecal samples" should be changed to --their colonoscopy. Extraction of glycoproteins from fecal samples-- (heading)

Column 8, Line 18, "0.2 μ m Protan" should be changed to --0.2 μ m Protan--

Column 8, Line 37, "with 0.01% H₂O₂" should be changed to --with 0.01% H₂O₂--

Column 8, Line 46, "vamounts of the samples" should be changed to --amounts of the samples--

Column 9, Line 23, "patients was 7 pg/ml." should be changed to --patients was 7 μ g/ml.--

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,252,955 B2
APPLICATION NO. : 10/721434
DATED : August 7, 2007
INVENTOR(S) : Pant et al.

Page 2 of 2


It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 10, Line 50, "O-pheynlenediamine-H202" should be changed to

--O-phenylenediamine-H₂O₂--

Signed and Sealed this

Eleventh Day of December, 2007

A handwritten signature in black ink, appearing to read "Jon W. Dudas". The signature is stylized with a large, looped initial "J" and a cursive "Dudas".

JON W. DUDAS
Director of the United States Patent and Trademark Office